

SAFETY DATA SHEET

1. Identification

Product identifier	KAST-O-LITE 50-25 PLUS
Other means of identification	
Brand Code	5925
Recommended use	For Industrial or Professional Use Only
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
	training in the proper use and handling of this material should be provided as required under

Manufacturer/Importer/Supplier/Distributor information Manufacturer

Company name	HarbisonWalker International		
Address	1305 Cherrington Parkway, Suite 100		
	Moon Township, Pennsylvania 15108 US		
Telephone	General Phone: 412-375-6600		
Website	www.thinkHWI.com		
Emergency phone number	Not available.		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If exposed or concerned: Get medical advice/attention.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Cement, Alumina, Chemicals		65997-16-2	30 - 50
Expanded Perlite		93763-70-3	10 - 25
Kyanite		1302-76-7	10 - 25

Chemical name	Common name and synonyms	CAS number	%
Kaolin		1332-58-7	2.5 - 10
Mullite		1302-93-8	2.5 - 10
Quartz (SiO2)		14808-60-7	2.5 - 10
Amorphous Silica	Fumed Silica Silica, crystalline free	7631-86-9	1 - 2.5
Amorphous Silica: Uncalcinated Diatomaceous Earth		61790-53-2	1 - 2.5
Cristobalite		14464-46-1	1 - 2.5
Other components below reportable levels			10 - 25

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handling Do not hand airborne due

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Conditions for safe storage, including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

SDS).

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Contaminants (29 CFR 1910. Type	Value	Form
Cristobalite (CAS 4464-46-1)	PEL	0.05 mg/m3	Respirable dust.
aolin (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 4808-60-7)	PEL	0.05 mg/m3	Respirable dust.
IS. OSHA Table Z-3 (29 CFR 1910. components	1000) Type	Value	Form
morphous Silica (CAS 631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
morphous Silica: Incalcinated Diatomaceous arth (CAS 61790-53-2)	TWA	0.8 mg/m3	
		20 mppcf	
ristobalite (CAS 4464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
xpanded Perlite (CAS 3763-70-3)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
aolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
uartz (SiO2) (CAS 4808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
S. ACGIH Threshold Limit Values	-		Form
omponents	Туре	Value	Form
ristobalite (CAS 4464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
aolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
yanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
ullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
uartz (SiO2) (CAS 4808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
S. NIOSH: Pocket Guide to Chem components	ical Hazards Type	Value	Form
morphous Silica (CAS 631-86-9)	TWA	6 mg/m3	
morphous Silica: Incalcinated Diatomaceous farth (CAS 61790-53-2)	TWA	6 mg/m3	
Cristobalite (CAS 4464-46-1)	TWA	0.05 mg/m3	Respirable dust.
xpanded Perlite (CAS 3763-70-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
aolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
		10 mg/m3	Total
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Exposure guidelines	Occupational exposure to nuisance dus should be monitored and controlled. Oc and respirable crystalline silica should b	cupational exposure to nuisa	
Appropriate engineering controls	Good general ventilation (typically 10 a should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish	licable, use process enclosu n airborne levels below recor	es, local exhaust ventilation, nmended exposure limits. If
Individual protection measure	s, such as personal protective equipmer	nt	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear appropriate chemical resistant clo	othing. Use of an impervious a	apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirat exceeding the exposure limits.	or if there is a risk of exposur	e to dust/fume at levels
Thermal hazards	Wear appropriate thermal protective clo	othing, when necessary.	

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Solid.
Solid.
Not available.
olosive limits
Not available.

Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
10. Stability and reactivit	у	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effect	cts
Acute toxicity	Not known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Amorphous Silica (CAS 7631-86-9) Amorphous Silica: Uncalcinated Diatomaceous Earth (CAS 61790-53-2)		3 Not classifiable as to carcinogenicity to humans.3 Not classifiable as to carcinogenicity to humans.	
Cristobalite (CAS 14464-		1 Carcinogenic to humans.	
	Quartz (SiO2) (CAS 14808-60-7) 1 Carcinogenic to humans.		
	d Substances (29 CFR 1910.10	-	
Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7)		Cancer Cancer	
US. National Toxicology Program (NTP) Report on Carcinogens			
		Known To Be Human Carcinogen.	
		Reasonably Anticipated to be a Human Carcinogen.	
Quartz (SiO2) (CAS 1480	-	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Developmental effects		0	
Quartz (SiO2) Developmental effects -	EU category	0	
Quartz (SiO2)		0	
Embryotoxicity		_	
Quartz (SiO2) Reproductivity		0	
Quartz (SiO2)		0	
Specific target organ toxicity -	Not classified.		
single exposure			
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological information	1		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	าร		
Disposal instructions	according to Federal regulatio	te, when discarded or disposed of, is not a hazardous waste ns (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria	
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.		
Waste from residues / unused products	Not available.		
Contaminated packaging	Not available.		
14. Transport information			
DOT			
Not regulated as dangerous g	oods.		
ΙΑΤΑ			

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7)

Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard	Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

categories

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including Quartz (SiO2): Quartz (SiO2): Quartz (SiO2): Quartz (SiO2): Quartz (SiO2): Quartz (SiO2), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (SiO2) (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)

Listed: October 1, 1988 Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-27-2015
Revision date	08-28-2019
Version #	02
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.