

# SAFETY DATA SHEET

# 1. Identification

Product identifier	NARCON 70 CASTABLE		
Other means of identification			
Brand Code	8288		
Recommended use	For Industrial or Professional Use Only		
Recommended restrictions	Avoid dry cutting, blasting, or dust generation.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	HarbisonWalker International		
Address	1305 Cherrington Parkway, Suite 100		
	Moon Township, Pennsylvania 15108 US		
Telephone	General Phone: 412-375-6600		
Website	www.thinkHWI.com		
Emergency phone number	Not available.		

# 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Carcinogenicity
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	



Signal word Danger Hazard statement May cause cancer. **Precautionary statement** Do not handle until all safety precautions have been read and understood. Wear protective Prevention gloves/protective clothing/eye protection/face protection. Response If exposed or concerned: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.

Category 1A

# 3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%
Mullite		1302-93-8	40 - 60
Aluminium Oxide (Non-Fibro	us)	1344-28-1	20 - 40
Amorphous Silica	Fumed Silica Silica, crystalline free	7631-86-9	10 - 25
Cement, Alumina, Chemicals		65997-16-2	2.5 - 10
Fumes, Silica		69012-64-2	2.5 - 10
Kyanite		1302-76-7	1 - 2.5
Titanium Dioxide		13463-67-7	1 - 2.5

Chemical name	Common name and synonyms	CAS number	%
Kaolin		1332-58-7	0.1 - 2.5
Quartz (SiO2)		14808-60-7	0.1 - 2.5
Cristobalite		14464-46-1	< 0.5
Other components below re	eportable levels		2.5 - 10

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

## 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Get medical attention if symptoms occur.

### 5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene

**Conditions for safe storage,** Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

practices.

### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
Kaolin (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 4808-60-7)	PEL	0.05 mg/m3	Respirable dust.
Γitanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
JS. OSHA Table Z-3 (29 CFR 1910.1	-		_
Components	Туре	Value	Form
Numinium Oxide Non-Fibrous) (CAS 344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Amorphous Silica (CAS /631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
umes, Silica (CAS 9012-64-2)	TWA	0.8 mg/m3	
		20 mppcf	
(aolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (SiO2) (CAS 4808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Fitanium Dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
JS. ACGIH Threshold Limit Values Components	Туре	Value	Form
Aluminium Oxide	TWA		
Non-Fibrous) (CAS 1344-28-1)		1 mg/m3	Respirable fraction.
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction
(Vanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction
Quartz (SiO2) (CAS 4808-60-7)	TWA	0.025 mg/m3	Respirable fraction
Titonium Diavida (CAC		10	

TWA

10 mg/m3

Titanium Dioxide (CAS 13463-67-7)

# **US. NIOSH: Pocket Guide to Chemical Hazards**

TWA TWA TWA TWA	6 mg/m3 0.05 mg/m3 6 mg/m3	Respirable dust.
TWA	· ·	Respirable dust.
	6 mg/m3	
TWA		
	5 mg/m3	Respirable.
	10 mg/m3	Total
TWA	0.05 mg/m3	Respirable dust.
ological exposure limits noted	I for the ingredient(s).	
d be monitored and controlled	d. Occupational exposure to nuis	ance dust (total and respirable
d be matched to conditions. It er engineering controls to ma	f applicable, use process enclosu aintain airborne levels below reco	res, local exhaust ventilation, mmended exposure limits. If
s personal protective equip	oment	
safety glasses with side shie	lds (or goggles).	
appropriate chemical resista	nt gloves.	
appropriate chemical resista	nt clothing. Use of an impervious	apron is recommended.
	pirator if there is a risk of exposu	re to dust/fume at levels
appropriate thermal protectiv	e clothing, when necessary.	
	ological exposure limits noted pational exposure to nuisance d be monitored and controlled espirable crystalline silica sho general ventilation (typically d be matched to conditions. In her engineering controls to ma sure limits have not been esta <b>s personal protective equip</b> safety glasses with side shie appropriate chemical resistant appropriate chemical resistant ap	ological exposure limits noted for the ingredient(s). pational exposure to nuisance dust (total and respirable) and r d be monitored and controlled. Occupational exposure to nuisa espirable crystalline silica should be monitored and controlled. general ventilation (typically 10 air changes per hour) should l d be matched to conditions. If applicable, use process enclosure er engineering controls to maintain airborne levels below reco sure limits have not been established, maintain airborne levels <b>s personal protective equipment</b> safety glasses with side shields (or goggles). appropriate chemical resistant gloves. appropriate chemical resistant clothing. Use of an impervious a NIOSH/MSHA approved respirator if there is a risk of exposu

**General hygiene** considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance			
Physical state	Solid.		
Form	Solid.		
Color	Not available.		
Odor	Not available.		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash point	Not available.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not available.		

Flammability limit - upper	Not available.
(%)	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient	Not available.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Chlorine. Fluorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	Not known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	1
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Amorphous Silica (CAS 7631-86-9) Cristobalite (CAS 14464-46-1) Fumes, Silica (CAS 69012-64-2) Quartz (SiO2) (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) <b>OSHA Specifically Regulated Substances (29 CFR 1910.</b> Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7)		<ul> <li>3 Not classifiable as to carcinogenicity to humans.</li> <li>1 Carcinogenic to humans.</li> <li>3 Not classifiable as to carcinogenicity to humans.</li> <li>1 Carcinogenic to humans.</li> <li>2B Possibly carcinogenic to humans.</li> <li>001-1052)</li> <li>Cancer</li> <li>Cancer</li> </ul>	
	gram (NTP) Report on Carcin	ogens	
Cristobalite (CAS 14464-4	46-1)	Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.	
Quartz (SiO2) (CAS 1480	8-60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Developmental effects Quartz (SiO2) Developmental effects - Quartz (SiO2) Embryotoxicity Quartz (SiO2) Reproductivity Quartz (SiO2)	EU category	0 0 0	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects		narmful. Prolonged exposure may cause chronic effects.	
12. Ecological information	<u> </u>		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability		gradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.	
13. Disposal consideration	าร		
Disposal instructions	according to Federal regulatio user of the product to determin for hazardous waste.	te, when discarded or disposed of, is not a hazardous waste ns (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria	
Hazardous waste code		everal industries, no Waste Code can be provided by the supplier. etermined in arrangement with your waste disposal partner or the	

Waste from residues / unused Not available. products

Contaminated packaging

Not available.

# 14. Transport information

### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Expor Not regulated.				
CERCLA Hazardous Subs	tance List (40 CFR 302.	4)		
Not listed.	and notification			
SARA 304 Emergency rele	ase notification			
Not regulated.	ad Cubatanasa (20 CE	- 4040 4004 4050		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)				
Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7)		Cancer Cancer lung effects lung effects		
Cristobalite (CAS 14464	4-46-1)	immune system effects		
Quartz (SiO2) (CAS 148		immune system effects		
Cristobalite (CAS 14464		kidney effects		
Quartz (SiO2) (CAS 148	,	kidney effects		
Superfund Amendments and F		986 (SARA)		
SARA 302 Extremely haza Not listed.	rdous substance			
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Carcinogenicity			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminium Oxide (Non-	Fibrous)	1344-28-1	20 - 40	
Other federal regulations	·			
Clean Air Act (CAA) Section	on 112 Hazardous Air P	ollutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section	on 112(r) Accidental Re	lease Prevention (40 CF	R 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
California Proposition 65				
		o the State of California to	g Titanium Dioxide: Titanium Dioxide: Titanium o cause cancer. For more information go	

# California Proposition 65 - CRT: Listed date/Carcinogenic substance Quartz (SiO2) (CAS 14808-60-7) Listed: October 1, 1988 Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	07-11-2018
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients