

# SAFETY DATA SHEET

## 1. Identification

Product identifier	GREENLITE 23 LI G ON-LINE			
Other means of identification				
Brand Code	052B			
Recommended use	For Industrial Use Only			
Recommended restrictions	Avoid dry cutting, blasting, or dust generation.			
Manufacturer/Importer/Supplier/Distributor information				
Manufacturer				
Company name	HarbisonWalker International			
Address	1305 Cherrington Parkway, Suite 100			
	Moon Township, Pennsylvania 15108 US			
Telephone	General Phone: 412-375-6600			
Website	www.thinkHWI.com			
Emergency phone number	Not available.			

#### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and

## 3. Composition/information on ingredients

#### **Mixtures**

s CAS number	%
14808-60-7	20 - 40
65997-16-2	10 - 25
	14808-60-7

handling of this material should be provided as required under applicable regulations.

Chemical name	Common name and synonyms	CAS number	%
Expanded Perlite		93763-70-3	10 - 25
Kaolin		1332-58-7	2.5 - 10
Kyanite		1302-76-7	2.5 - 10
Mullite		1302-93-8	2.5 - 10
Cristobalite		14464-46-1	1 - 2.5
White Mineral Oil (Petroleum)		8042-47-5	1 - 2.5
Other components below reportable	e levels		20 - 40

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Coughing. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

# 5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
Kaolin (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
White Mineral Oil (Petroleum) (CAS	PEL	5 mg/m3	Mist.

#### 8042-47-5) US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
Expanded Perlite (CAS 93763-70-3)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.

#### **US. ACGIH Threshold Limit Values**

8042-47-5)

Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
White Mineral Oil (Petroleum) (CAS	TWA	5 mg/m3	Inhalable fraction.

# US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Expanded Perlite (CAS 93763-70-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
White Mineral Oil (Petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.

Components	Туре	Value	Form
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Exposure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields (	or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant gl	oves.	
Other	Wear appropriate chemical resistant cl	othing. Use of an impervious	s apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.		
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
General hygiene	Observe any medical surveillance requ	irements. Always observe g	ood personal hygiene

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Solid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Ъ

Information on likely routes of exposure			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Coughing.		
Information on toxicological effe	cts		
Acute toxicity	Not known.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
IARC Monographs. Overall E	Evaluation of Carcinogenicity		

Cristobalite (CAS 14464-46-1)	1 Carcinogenic to humans.
-------------------------------	---------------------------

Quartz (SiO2) (CAS 14808-60-7)		1 Carcinogenic to humans.
White Mineral Oil (Petrole	, ,	3 Not classifiable as to carcinogenicity to humans.
Cristobalite (CAS 14464-4	d Substances (29 CFR 1910.10	Cancer
Quartz (SiO2) (CAS 14404-40-7)		Cancer
. , .	gram (NTP) Report on Carcine	ogens
Cristobalite (CAS 14464-46-1)		Known To Be Human Carcinogen.
Quartz (SiO2) (CAS 14808-60-7)		Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.
Reproductive toxicity		cause reproductive or developmental effects.
Developmental effects		
Quartz (SiO2)		0
<b>Developmental effects -</b>	EU category	
Quartz (SiO2)		0
Embryotoxicity Quartz (SiO2)		0
Reproductivity		
Quartz (SiO2)		0
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Causes damage to organs three	bugh prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Causes damage to organs thro harmful. Prolonged exposure r	bugh prolonged or repeated exposure. Prolonged inhalation may be may cause chronic effects.
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.
13. Disposal consideratior	IS	
Disposal instructions	according to Federal regulation user of the product to determine	te, when discarded or disposed of, is not a hazardous waste ns (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria of contents/container in accordance with ional regulations.
Hazardous waste code		everal industries, no Waste Code can be provided by the supplier. termined in arrangement with your waste disposal partner or the
Waste from residues / unused products	Not available.	
Contaminated packaging	Not available.	
14. Transport information		
DOT		
Not regulated as dangerous ge	oods.	
ΙΑΤΑ		
Not required as done	l -	

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### · . . . .... \_ 1 - 4

15. Regulatory informatio	n		
US federal regulations		Chemical" as defined by the OSHA Hazard Com ). All chemical substances in this product are listery y where required.	
TSCA Section 12(b) Export	Notification (40 CFR 707, Sub	ppt. D)	
Not regulated. CERCLA Hazardous Substa	anaa Liat (40 CEB 202 4)		
Not listed.	ance List (40 CFR 302.4)		
SARA 304 Emergency relea	ase notification		
Not regulated.			
0	ed Substances (29 CFR 1910. <sup>-</sup>	1001-1052)	
Cristobalite (CAS 14464		Cancer	
Quartz (SiO2) (CAS 148		Cancer	
Cristobalite (CAS 14464 Quartz (SiO2) (CAS 148		lung effects lung effects	
Cristobalite (CAS 14464		immune system effects	
Quartz (SiO2) (CAS 148		immune system effects	
Cristobalite (CAS 14464	,	kidney effects	
Quartz (SiO2) (CAS 148		kidney effects	
Superfund Amendments and R		ARA)	
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Carcinogenicity Specific target organ toxicity	(single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
-	n 112 Hazardous Air Pollutant	s (HAPs) List	
Not regulated.	n 112(r) Accidental Release P		
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
California Proposition 65			
		hemicals including Quartz (SiO2): Quartz (SiO2): artz (SiO2), which is known to the State of Califor o www.P65Warnings.ca.gov.	
California Proposition	65 - CRT: Listed date/Carcino	genic substance	
	AS 13463-67-7)	Listed: October 1, 1988 Listed: September 2, 2011 sumer Products Regulations (Cal. Code Regs,	tit. 22, 69502.3,
subd. (a)) Cristobalite (CAS 14			
Quartz (SiO2) (CAS International Inventories	14808-60-7)		
			• • • • • • • • • • • • • • • •
Country(s) or region Australia	Inventory name		inventory (yes/no)*
	Australian Inventory of Cherr		No
Canada	Domestic Substances List (D	,	No
Canada	Non-Domestic Substances L		No
China		al Substances in China (IECSC)	No
Europe	European Inventory of Existin Substances (EINECS)		No
Luropo	Luranaan List of Matifical Ol-	minol Substances (ELINCC)	N1

European List of Notified Chemical Substances (ELINCS)

Europe

No

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	10-05-2021
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.