International

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GREENPATCH-421 Trade name or

designation of the mixture

Registration number

Synonyms None. **Brand Code** 5605, 399C **Issue date** 26-July-2016

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For Industrial Use Only

Uses advised against Users should be informed of the potential presence of respirable dust and respirable crystalline silica

as well as their potential hazards. Appropriate training in the proper use and handling of this

material should be provided as required under applicable regulations.

Manufacturer HarbisonWalker International Limited

Address Dock Road South

Bromborough

Wirral

United Kingdom

Division United Kingdom

Contact person Corporate Product Safety **General Phone:** 44.(0)151.641.5900 **Email address** REACH@thinkhwi.com

CHEMTREC 24 HOUR EMERGENCY #

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation H315 - Causes skin irritation. Category 2

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment. **Specific hazards** Prolonged exposure may cause chronic effects. Main symptoms Skin irritation. May cause redness and pain.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms

Signal word Warning

Hazard statements

Causes skin irritation. H315

Material name: GREENPATCH-421 SDS UK

Precautionary statements

Prevention

P264 Wash thoroughly after handling.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

information silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and

which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

Users should be informed of the potential presence of respirable dust and respirable crystalline

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Aluminium Oxide (Non-Fibrous)		%	CAS-No. / EC No. 1344-28-1 215-691-6	REACH Registration No. 01-2119529248-35-0134	INDEX No.	Notes
		10 - < 20				
Classification:	DSD:	-				
	CLP:	-				
Silicic acid, sodium salt		5 - < 10	1344-09-8 215-687-4	-	-	
Classification:	DSD:	-				
	CLP:	Skin Irrit. 2;H315, Eye Irrit. 2;H319				

Other components below reportable levels 70 - < 80

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both

acute and delayed

Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

and special treatment

needed

Material name: GREENPATCH-421 SDS UK

5605, 399C Version #: 01 Issue date: 26-July-2016

SECTION 5: Firefighting measures

General fire hazards

Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not available.

Not available.

5.2. Special hazards arising from the substance or

mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form	
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.	
		10 mg/m3	Inhalable dust.	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.	
•		2.4 mg/m3	Respirable dust.	
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable dust.	

Material name: GREENPATCH-421

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.	
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.	
,		10 mg/m3	Inhalable	

Biological limit values No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

Recommended monitoring

procedures

Derived no-effect level

(DNEL)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should

be monitored and controlled.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. **Form** Solid.

Colour Not available. Not available. Odour **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Not available.

SDS UK 5605, 399C Version #: 01 Issue date: 26-July-2016 4/8

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water)Not available.Solubility (other)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other informationNo relevant additional information available.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.10.5. Incompatible materials Acids. Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not

be specific to industrial application exposure.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Skin irritation. May cause redness and pain.

11.1. Information on toxicological effects

Acute toxicity
No data available.

Skin corrosion/irritation
Causes skin irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.Skin sensitisationDue to partial or complete lack of data the classification is not possible.Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.

Material name: GREENPATCH-421
5605, 399C Version #: 01 Issue date: 26-July-2016

Carcinogenicity

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Risk of cancer cannot be excluded with prolonged exposure.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Aspiration hazard

Mixture versus substance

information

Due to partial or complete lack of data the classification is not possible.

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

Partition coefficient

No data available.

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) 12.4. Mobility in soil

No data available.

Not available.

12.5. Results of PBT

Not available.

and vPvB assessment

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. **EU** waste code Not available.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Material name: GREENPATCH-421 SDS UK 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Silicic acid, sodium salt (CAS 1344-09-8)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents. 15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations Not available. References Not available. Information on evaluation Not available.

method leading to the classification of mixture

Material name: GREENPATCH-421 SDS UK Full text of any statements or R-phrases and H-statements

under Sections 2 to 15 H315 Causes skin irritation.

H319 Causes serious eye irritation.

Revision information None.

Training information Not available.

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Material name: GREENPATCH-421 5605, 399C Version #: 01 Issue date: 26-July-2016