

Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product Identifier
	Mineral fibre insulation material Firefly Flex 1000 (FFF1000)
1.2	Relevant identified uses of the substance or mixture and uses advised against
	Wide range of applications such as high and low temperature thermal insulation in industrial processes, heating systems and construction.
1.3	Details of the supplier of the safety data sheet
	TENMAT Limited Ashburton Road West Trafford Park Manchester M17 1TD United Kingdom
	Tel: +44 (0)161 872 2181 Fax: +44 (0)161 872 7596 Email: sales@tenmat.com
1.4	Emergency telephone number
	+44 (0)161 872 2181 +44 (0)161 955 2446 (24 hours)



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

#### Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: Not classified.

Classification according to Directive 67/548/EEC or 1999/45/EC: Not classified.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]: Not applicable.

#### Supplemental hazard information (EU):

This product is not hazardous in the form in which it is shipped by the manufacturer.

However, there may be low levels of dust as a result of downstream activities (eg, cutting) that contain low bio-persistence mineral fibres.

This product does not contain substances that meet the criteria for PBT or vPvB according to Annex XIII of REACH.

#### 2.3 Other hazards

Mild mechanical irritation to skin, eyes and upper respiratory system may result from exposure, however any effects are usually temporary.

#### Section 3: Composition/information on ingredients

This product is an insulation sheet made from varying amounts of low bio-persistence mineral fibres, and binders.



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

#### **Section 4:** First Aid Measures

#### 4.1 Description of first aid measures

4.1	Description of First Aid Measures	
	General Information: The main hazards arise from downstream activities such as cutting and machining.	
	Following Inhalation: Avoid breathing dust. If breathing difficulties are experienced whilst machining, remove to fresh air or a ventilated area and seek medical advice.	
	Following Skin Contact: If possible, vacuum excessive dust from clothes as well as skin and hair. Wash and clean contaminated skin with soap and clean water. Clothes should be washed professionally.	
	Following Eye Contact: In case of eye contact, Irrigate abundantly with water. Seek medical attention.	
	Following Ingestion: If small quantities are ingested, seek medical advice.	
	Self-Protection for First Aider: Wear suitable personal protective equipment to avoid inhaling dust.	
4.2	Most Important Symptoms and Effects, both Acute and Delayed	
	Symptoms: No symptoms expected.	
	Effects: No effects expected.	
4.3	Indication of any Immediate Medical Attention and Special Treatment Needed	
	Notes for doctor: None required	
	Special Treatment: None required.	



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

#### Section 5: Fire-fighting measures

5.1	Extinguishing media
	Suitable extinguishing media: Not flammable.
	Unsuitable extinguishing media: Not applicable.
5.2	Special hazards arising from the substance or mixture
	Hazardous combustion products: There is the possibility of release of gaseous oxidation products from organic binders during initial heating up to around 400 °C.
5.3	Advice for fire-fighters None required.

#### Section 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures
U. I	r ci sonai bi ccaulions. Di olective cuulbinent anu cinci ucitcy bi occuules

#### For non-emergency personnel:

Avoid inhaling dust.

#### **Protective equipment:**

Protective clothing should be provided for operators along with protective equipment shown in Section 8.

#### **Emergency procedures:**

#### For emergency responders:

Avoid inhaling dust.

#### Personal protective equipment:

Protective clothing should be provided along with protective equipment shown in Section 8.



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

6.2	Environmental precautions Prevent spread of dust by dampening any dust spillages. Check local regulations before rinsing or flushing to drain.
6.3 Methods and materials for containment and cleaning up	
	For containment: Dampen down any dust spillages as soon as possible. Do not allow dust to be dispersed by wind.
	For cleaning up: Remove large pieces of sheet by hand and use a vacuum cleaner to remove dust. If a brush is used ensure that dust is dampened beforehand.
	Do not allow dust to be dispersed by use of compressed air.
	Dust and pieces of sheet should be packaged into impermeable plastic sacks which should be sealed. Such waste should then be disposed of according to local regulations.
6.4	Reference to other sections Section 7 for Handling and Storage and Section 8 for protective equipment.

#### Section 7: Handling and storage

## 7.1 Precautions for safe handling

#### Protective measures:

No special protective measures are normally required.

#### Fire prevention:

Products are not flammable.

#### Aerosol and dust generation prevention:

Small amounts of dust may be generated if sheets are allowed to abrade against each other.

#### **Environmental precautions:**

No special precautions are required.

#### Advice on general occupational hygiene:

Wear protective clothing.



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Both un-machined and machined sheets should be packed to prevent movement, abrasion during transit and absorption of water.

Otherwise normal safe precautions for storage can be used.

To avoid damage and distortion, store on a smooth level surface, in a fully supported position off the ground and in a dry place.

#### Packaging materials:

Card cartons.

#### Requirements for storage rooms and vessels:

Dry location.

#### Hints on storage assembly:

Mineral fibre insulation sheets are not considered to be dense materials but care should be taken not to exceed safe working loads for equipment and storage shelves or racks.

#### Storage class:

N/A

#### Materials to avoid:

No special requirements.

#### Further information on storage conditions:

N/A

### 7.3 Specific end uses:

#### **Recommendations:**

N/A

#### Specific end uses:

See references to dust hazards during cutting and machining, Section 4.

#### Section 8: Exposure controls/personal protection

8.1	Control Parameters	
	Reference should be made to local and country-specific occupational exposure limits for	



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

	dust and low bio-persistence mineral fibres.	
	UK monitoring methods can be found as follows:	
	MDHS 59 – Machine- made fibres airborne number concentration and classification by phase contrast light microscopy.	
	NIOSH 0500 – Particulates not otherwise regulated, total NIOSH 0600 – Particulates not otherwise regulated, respirable. NIOSH 7400 – Asbestos and other fibres by PCM	
8.2	Exposure Controls Fit and use appropriate local exhaust ventilation systems for cutting and machining operations.	
	Maintain a clean workplace using a vacuum cleaner.	

## Section 9: Physical and chemical properties

## 9.1 Information on Basic Physical and Chemical Properties

Physical State	Solid material
Appearance	Fibrous sheet
Colour	Buff
Odour	N/A
Odour threshold	N/A
рН	N/A
Melting/Freezing Point	Does not melt. Maximum working
	temperature 1000 °C
Boiling point	N/A
Flash point	N/A
Evapouration rate	N/A
Flammability (solid, gas)	N/A
Upper/lower flammability or explosive limits	N/A
Upper explosive limit	N/A
Lower explosive limit	N/A
Vapour pressure	N/A
Vapour density	N/A
Relative density	250 kg.m <sup>3</sup>
Solubility	Not soluble in water
Partition coefficient n-octanol/water	N/A
Auto-ignition temperature	N/A



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

Decomposition temperature	N/A
Dynamic viscosity	N/A
Kinematic viscosity	N/A
Explosive properties	N/A
Oxidising properties	N/A

### Section 10: Stability and reactivity

10.1	Reactivity
	Stable and non-reactive
10.2	Chemical Stability
	Stable and inert.
10.3	Possibility of Hazardous Reaction
	There is the possibility of release of gaseous oxidation products from organic binders during initial heating up to around 400 °C. It is recommended that the work area is ventilated until the oxidation product gases have dispersed.
10.4	Conditions to Avoid
	Exposure to water.
10.5	Incompatible Materials
	None.
10.6	Hazardous Decomposition Products
	None.

#### **Section 11: Toxicological Information**

#### 11.1 Information on Toxicological Effects

Exposure is mainly to low levels of dusts generated during downstream activities such as cutting and machining.

Low bio-persistence mineral fibres as used in these products have been developed to be quickly and effectively cleared from lung tissues.



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

#### **Acute Effects**

Acute Inhalation Toxicity	Nose and throat irritation
Skin Irritation	Mild irritation
Eye Irritation	Irritation

#### **Chronic Effects**

Respiratory or Skin Sensitisation	Irritation of both the respiratory tract and skin is by
. ,	mechanical means and is not the result of an
	allergic reaction or chemical damage.

## Section 12: Ecological Information

12.1	<b>Toxicity</b> These products are insoluble in water and remain stable over time. The major constituents are similar in their chemical composition to naturally occurring minerals.
12.2	Persistence and Degradability Not established.
12.3	Bio-accumulative Potential Not established.
12.4	Mobility in Soil No information available.
12.5	Results of PBT and vPvB Assessment These products do not contain substances that are considered as either PBT or vPvB.
12.6	Other Adverse Effects No other additional information available.

### **Section 13: Disposal Considerations**

13.1	Waste Treatment Methods
	Product/Packaging Disposal: Packaging can be cleaned and recycled.
	Waste Treatment Options:



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

Waste from these products may be disposed of in landfill according to local regulations.

### **Section 14: Transport Information**

14.1	UN Number
	N/A
14.2	UN Proper Shipping Name N/A
14.3	Transport Hazard Class(es) N/A Hazard Labels
44.4	Dealing Corres
14.4	Packing Group N/A
14.5	Environmental Hazards N/A
14.6	Special Precautions for User N/A
14.7	Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code N/A

### Section 15: Regulatory Information

15.1	Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture
	<b>EU Regulations</b> Regulation (EC) No 1907/2006, 18 <sup>th</sup> December 2006, on Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH)
	Regulation (EC) No 1272/2008, 20 <sup>th</sup> January 2009, on Classification, Labelling and Packaging of Substances and Mixtures (OJL 353)



Trade Name: FireFly Flex 1000 (FFF1000)

Version: First issued 4<sup>th</sup> August 2016 Revision Date: 4<sup>th</sup> August 2016

	The 7 <sup>th</sup> Adaptation to Technical Progress (ATP) to Regulation (EC) No 1272/2008 was published on 15 <sup>th</sup> July 2015.  Worker Protection
	In accordance with the following directives and their amendments:
	Council Directive 89/391/EEC, 12 <sup>th</sup> June 1989 on the Introduction of measures to encourage improvements in the safety and health of workers at work
	Council Directive 98/24/EC, 7 <sup>th</sup> April 1998 on the Protection of workers from the risks related to chemical agents at work.
15.2	Chemical Safety Assessment Available on request.

#### **Section 16:** Other Information

16.1	Indication of Changes
	All sections updated 4 <sup>th</sup> August 2016
16.2	Abbreviations and Acronyms
	None used.
16.3	Key Literature References and Sources of Data
	See main sections.
16.4	Classification for Mixtures and Used Evaluation Method According to Regulation (EC)
	1207/2008 [CLP]
	See Section 2.
16.5	Relevant R-, H- and EUH Phrases (Number and Text)
	N/A
16.6	Training Advice
	See Tenmat Fire Fly Flex FFF 1000 Technical Brochure for information on use.
16.7	Further Information
	For further information visit <u>www.tenmat.com</u>