



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	THOR AZSP PLUS	
Registration number	-	
Synonyms	None.	
Brand Code	7443, 457C	
Issue date	15-November-2016	
Version number	01	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	For Industrial Use Only	
Uses advised against	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier		
Company name	HarbisonWalker International Limited	
Address	Dock Road South	
	Bromborough	
	Wirral	
	UK	
Division	United Kingdom	
Telephone	General Phone: 44.(0)151.641.5900	
e-mail	REACH@thinkhwi.com	
Contact person	HWI USA	

1.4. Emergency telephone number

2.3. Other hazards

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

(Office hours 07:30 - 17:00)

which is a progressive and irreversible lung disease. Appropriate training in the proper use and

handling of this material should be provided as required under applicable regulations.

Classification according to Regulation (EC) No 1272/2008 as amended

+44 (0)151 641 5900

This mixture does not meet t	he criteria for classification according to Regulation (EC) 1272/2008 as amended.
Hazard summary	Prolonged exposure may cause chronic effects. Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.
2.2. Label elements	
Label according to Regulation	(EC) No. 1272/2008 as amended
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans,

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

G

General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Aluminium Oxide (Non-Fibrous	s) 2.5 - 10	1344-28-1 215-691-6	01-2119529248-35-0134	-	
Classification: -					
Cement, Alumina, Chemicals	2.5 - 10	65997-16-2 266-045-5	-	-	
Classification: -					
Other components below repo	ortable levels 80 -	90			
 ist of abbreviations and symbols #: This substance has been as M: M-factor PBT: persistent, bioaccumulat vPvB: very persistent and very All concentrations are in percent 	ssigned Union work ive and toxic substa / bioaccumulative s	place exposure limit ance. ubstance.	:(s). . Gas concentrations are in perc	ent by volume.	
SECTION 4: First aid mea	asures				
General information	Ensure that medic protect themselve	•	vare of the material(s) involved,	and take precaut	ions to
.1. Description of first aid me	asures				
Inhalation	Move to fresh air.	. Call a physician if s	symptoms develop or persist.		
Skin contact	Wash off with soa	ap and water. Get m	edical attention if irritation deve	elops and persists	
Eye contact	Rinse with water.	Get medical attenti	on if irritation develops and per-	sists.	
Ingestion	Rinse mouth. Get	medical attention if	symptoms occur.		
2. Most important ymptoms and effects, both cute and delayed	Exposure may ca	use temporary irrita	tion, redness, or discomfort.		
I.3. Indication of any mmediate medical attention and special treatment needed	Treat symptomat	ically.			
SECTION 5: Firefighting	measures				
General fire hazards	Not available.				
5.1. Extinguishing media Suitable extinguishing media	Use fire-extinguis	hing media appropr	iate for surrounding materials.		
Unsuitable extinguishing media	Not available.				
5.2. Special hazards arising rom the substance or nixture	Not available.				
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.				

SECTION 6: Accidental release measures

Special fire fighting

procedures

6.1. Personal precautions, protective equipment and emergency procedures

Not available.

office and breeded on the breeded of	centre equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
CECTION 7. Usedling and	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid prolonged exposure.
7.2. Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exp Components	Type	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
Fumes, Silica (CAS 69012-64-2)	TWA	10 mg/m3 6 mg/m3	Inhalable dust. Inhalable dust.
Silicon carbide (CAS 409-21-2)	TWA	2.4 mg/m3 4 mg/m3	Respirable dust. Respirable.
Zirconium dioxide (CAS 1314-23-4)	STEL	10 mg/m3 10 mg/m3	Inhalable
1311 23 1)	TWA	5 mg/m3	
Biological limit values	No biological exposure limits noted f	or the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedu	res.	
Derived no effect levels DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines	Occupational exposure to nuisance of be monitored and controlled. Occup respirable crystalline silica should be Zirconium silicates (zircon sands) co radioactive uranium and thorium. C uranium and thorium may cause lun Measurements made by Dupont dur of the 5 mg/m3 OSHA PEL for respir the exposure limits established for u sand.	ational exposure to nuisance du monitored and controlled. ntain trace amounts (106-120 p verexposure by inhalation to re g cancer. Eye contact with the ing the use of a similar mineral able dust and/or the PEL for qu	bci/g) of naturally occurring espirable dust containing dust may cause eye irritation. sand indicated the observance uartz ensures the user is below
3.2. Exposure controls			
Appropriate engineering controls	Good general ventilation (typically 1 be matched to conditions. If applica engineering controls to maintain airl limits have not been established, ma	ble, use process enclosures, loc porne levels below recommende	al exhaust ventilation, or other ed exposure limits. If exposure
Individual protection measur General information	res, such as personal protective equencies of the personal protection equipment shou	-	`EN standards and in discussion
Ceneral mornation	with the supplier of the personal pro-		
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection			
- Hand protection	Wear appropriate chemical resistant	gloves.	

7443, 457C Version #: 01 Issue date: 15-November-2016

Respiratory protection

Thermal hazards



Hygiene measures

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Acids. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.

10.6. Hazardous decomposition products

ON 11. Toxicological information

SECTION 11: Toxicologic	al information
General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.
11.1. Information on toxicolog	ical effects
Acute toxicity	Not known.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Risk of cancer cannot be excluded with prolonged exposure.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	This product has no known adverse effect on human health.
SECTION 12: Ecological i	nformation
12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB accessment	Not available.

assessment

SECTION 13: Disposal considerations

13.1. Waste treatment meth	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulkNot applicable.according to Annex II ofMarpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Directive 2004/37/EC: o mutagens at work	n the protection of workers from the risks related to exposure to carcinogens and
Not listed.	
Other EU regulations	
Directive 2012/18/EU or	n major accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations	Not available.
References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under Sections 2 to 15	None.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Toxicological Information: Toxicological Data
Training information	Not available.
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.