SAFETY DATA SHEET



1. Identification

Product identifier KS-4T

Other means of identification

Brand Code 8826

Recommended use For Industrial Use Only

Recommended restrictionsUsers should be informed of the potential presence of respirable dust and respirable crystalline

silica as well as their potential hazards. Appropriate training in the proper use and handling of this

material should be provided as required under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108 US

Telephone General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

EMERGENCY #

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Not available.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	20 - 40	

Chemical name	Common name and synonyms	CAS number	%	
Kaolin		1332-58-7	2.5 - 10	
Titanium Dioxide		13463-67-7	0.1 - 1	
Other components below re	eportable levels		60 - 80	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** (show the label where possible). Ensure that medical personnel are aware of the material(s)

Use fire-extinguishing media appropriate for surrounding materials.

involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for firefighters

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Components	Values Type	Value	Form
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Occu Components	upational Health & Safety Code, Sch Type	edule 1, Table 2) Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia Ol Safety Regulation 296/97, as	ELs. (Occupational Exposure Limits amended)	for Chemical Substances, Oc	cupational Health and
Components	Type	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Re Components	g. 217/2006, The Workplace Safety A Type	And Health Act) Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE,	TWA	0.025 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)	T10/0	10/20	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Ontario OELs. (Con Components	itrol of Exposure to Biological or Ch Type	emical Agents) Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE,	TWA	0.1 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)		10 mg/m3	
QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)	TWA		
Titanium Dioxide (CAS 13463-67-7)	TWA istry of Labor - Regulation Respecti Type	ing the Quality of the Work En	vironment) Form
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components	istry of Labor - Regulation Respecti	ng the Quality of the Work En	Form
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min	istry of Labor - Regulation Respecti Type	ng the Quality of the Work Env Value	
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE,	istry of Labor - Regulation Respecti Type TWA	ing the Quality of the Work Env Value 5 mg/m3	Form Respirable dust.
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS	istry of Labor - Regulation Respecti Type TWA TWA	fing the Quality of the Work Envelope 5 mg/m3 0.1 mg/m3 10 mg/m3	Respirable dust. Respirable dust.
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)	istry of Labor - Regulation Respecti Type TWA TWA TWA	5 mg/m3 0.1 mg/m3 10 mg/m3 or the ingredient(s). dust (total and respirable) and re Occupational exposure to nuisar	Respirable dust. Respirable dust. Total dust. spirable crystalline silica
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) logical limit values	TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled.	5 mg/m3 0.1 mg/m3 10 mg/m3 or the ingredient(s). dust (total and respirable) and re Occupational exposure to nuisar d be monitored and controlled. of air changes per hour) should be applicable, use process enclosure tain airborne levels below recom	Respirable dust. Respirable dust. Total dust. Spirable crystalline silicance dust (total and respiral e used. Ventilation rates es, local exhaust ventilation mended exposure limits. I
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) logical limit values rosure guidelines propriate engineering trols	TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled, and respirable crystalline silica shoul Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main	fing the Quality of the Work Envalue 5 mg/m3 0.1 mg/m3 10 mg/m3 or the ingredient(s). dust (total and respirable) and re Occupational exposure to nuisar do be monitored and controlled. O air changes per hour) should be applicable, use process enclosure thain airborne levels below recomished, maintain airborne levels to the total control is the co	Respirable dust. Respirable dust. Total dust. Spirable crystalline silicance dust (total and respirable used. Ventilation rates es, local exhaust ventilation mended exposure limits. It is an acceptable level.
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) logical limit values cosure guidelines propriate engineering trols vidual protection measures, Eye/face protection Skin protection	TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled, and respirable crystalline silica should Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable such as personal protective equipment of the such as personal protective equipments.	fing the Quality of the Work Envalue 5 mg/m3 0.1 mg/m3 10 mg/m3 or the ingredient(s). dust (total and respirable) and re Occupational exposure to nuisar do be monitored and controlled. O air changes per hour) should be applicable, use process enclosure tain airborne levels below recomished, maintain airborne levels to the tail airborn	Respirable dust. Respirable dust. Total dust. Spirable crystalline silicance dust (total and respirable used. Ventilation rates es, local exhaust ventilation mended exposure limits. In an acceptable level.
Titanium Dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Min Components Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) logical limit values propriate engineering trols vidual protection measures, Eye/face protection	TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled, and respirable crystalline silica should Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable such as personal protective equipments.	fing the Quality of the Work Envalue 5 mg/m3 0.1 mg/m3 10 mg/m3 or the ingredient(s). dust (total and respirable) and re Occupational exposure to nuisar d be monitored and controlled. O air changes per hour) should be applicable, use process enclosure that in airborne levels below recom- lished, maintain airborne levels to nent In side shields are recommended	Respirable dust. Respirable dust. Total dust. Spirable crystalline silicance dust (total and respirable used. Ventilation rates es, local exhaust ventilation mended exposure limits. It is an acceptable level.

Respiratory protection

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

nanninability iiiii

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the

overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in guarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker

occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

Kaolin (CAS 1332-58-7) A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7)

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Canada - Manitoba OELs: carcinogenicity

Kaolin (CAS 1332-58-7)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

Suspected human carcinogen.

protection against silicosis can be consistently assured by respecting the existing regulatory

Not classifiable as a human carcinogen.

Suspected human carcinogen.

Not classifiable as a human carcinogen.

Suspected carcinogenic effect in humans.

1 Carcinogenic to humans.

2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Developmental effects

SILICA, CRYSTALLINE, QUARTZ 0 **Developmental effects - EU category**SILICA, CRYSTALLINE, QUARTZ 0

Embryotoxicity

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste codeSince this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 04-13-2018

Version # 01

United States & Puerto Rico

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

Toxic Substances Control Act (TSCA) Inventory

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Inventory name

Material name: KS-4T SDS CANADA

No

On inventory (yes/no)*