

# SAFETY DATA SHEET

1. Identification		
Product identifier	KAST-O-LITE 30 LI G PLUS; KAST-O-LITE 30 LI G PLUS WF	
Other means of identification Brand Code	5872, 4491	
Recommended use of the chemi	cal and restrictions on use	
Recommended use	For Industrial Use Only	
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	HarbisonWalker International 1305 Cherrington Parkway, Suite 100 Moon Township Pennsylvania 15108 US	
Telephone	General Phone: 412-375-6600	
Website	www.thinkHWI.com	
Emergency phone number	Not available.	
2. Hazards identification		
GHS classification		
Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
GHS label elements, including p	recautionary statements	
Pictograms		
Signal word	Danger	
Hazard statements	May cause cancer. May cause damage to org	gans through prolonged or repeated exposure.
Precautionary statement		
Prevention	Obtain special instructions before use. Do no and understood. Do not breathe dust/fume/ga gloves/protective clothing/eye protection/face	
Response	IF exposed or concerned: Get medical advice	e/attention.
Storage	Not available.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Other hazards which do not result in classification	None known.	
Supplemental information	Crystalline silica may be present at low conce aggregate or as part of the clays or sands.	entrations; most of this is encapsulated in the coarse
	· · · ·	

# 3. Composition/information on ingredients

Substance or mixture	Mixture		
Chemical name	Common name and synonyms	CAS Number	Concentration (%)
Cement, Alumina, Chemicals		65997-16-2	10 - 25
Cristobalite		14464-46-1	2.5 - 10

Chemical name	Common name and synonyms	CAS Number	Concentration (%)
Mullite		1302-93-8	2.5 - 10
Quartz (SiO2)		14808-60-7	2.5 - 10
Bentonite		1302-78-9	1 - 2.5
Other components below reportable levels	9		50 - 70

# 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not available.
Special protective equipment and precautions for firefighters	Not available.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

Components	Туре	xposure Levels of Toxic Subst Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
trol parameters/Occupational e	exposure limits		
US. ACGIH Threshold Limit Va	lues		
Components	Туре	Value	Form
	TWA	0.025 mg/m3	Respirable fraction.

US. ACGIH Threshold Lim Components	it Values Type	Value	Form
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Exposure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
Appropriate engineering control measures	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipmer	it	
Eye/face protection	If contact is likely, safety glasses with s	ide shields are recommended.	
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Use of an impervious apron is recomme	ended.	
Respiratory protection	Use a NIOSH/MSHA approved respirat exceeding the exposure limits.	or if there is a risk of exposure	to dust/fume at levels
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

## Appearance

, appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivit	y .
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

information on likely routes of ex	cposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Acute toxicity	Not known.
Symptoms	Direct contact with eyes may cause temporary irritation.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silice and controlled.
	Evaluation of Carcinogenicity
Cristobalite (CAS 14464-4 Quartz (SiO2) (CAS 1480	5
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Developmental effects Quartz (SiO2) Developmental effects	0 Ell category
Developmental effects - Quartz (SiO2) Embryotoxicity	0
Quartz (SiO2) Reproductivity	0
Quartz (SiO2)	0
Specific target organ toxicity -	Not classified.

Specific target organ toxicity - Not classified. single exposure

Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal methods/information** This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

Special precautions Not available.

## 14. Transport information

#### ADR

Not regulated as dangerous goods.

#### RID

Not regulated as dangerous goods.

#### ADN

Not regulated as dangerous goods.

# 

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

#### Safety, health and environmental regulations specific for the product in question

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule)

Not regulated.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1, 2013)

Not regulated.

**Chemical Weapons Prohibition (Act)** 

Not applicable.

#### Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable. Environmental Public Health Act

Not applicable.

# International regulations

# **Montreal Protocol**

Not applicable. Stockholm Convention Not applicable.

**Rotterdam Convention** 

Not applicable.

Kyoto protocol

Not applicable.

#### **Basel Convention**

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

References Issued by Prepared by Disclaimer	Not available. Not available. Not available. This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid
Issue date	contractual relationship. 06-29-2018
Revision date	09-15-2021
Key/legend	Not applicable.
Revision information	Product and Company Identification: Product and Company Identification Identification: Recommended restrictions Hazards identification: Prevention Hazards identification: Response Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities Stability and reactivity: Conditions to avoid Ecological information: Persistence and degradability