



## 1. Identification

1. Idelitilloution				
Product identifier	JADECAST 20Z4			
Other means of identification				
Brand Code	967B			
Synonyms	WM-7561 CASTABLE			
Recommended use	For Industrial Use Only			
Recommended restrictions	Avoid dry cutting, blasting, or dust generation.			
Manufacturer/Importer/Supplier	/Distributor information			
Manufacturer				
Company name	HarbisonWalker International			
Address	1305 Cherrington Parkway, Suite 100			
	Moon Township, Pennsylvania 15108 US			
Telephone	General Phone: 412-375-6600			
Website Emergency phone number	www.thinkHWI.com Not available.			
Emergency phone number				
2. Hazard(s) identification				
Physical hazards	Not classified.			
Health hazards	Not classified.			
Environmental hazards	Not classified.			
OSHA defined hazards	Not classified.			
Label elements				
Hazard symbol	None.			
Signal word	None.			
Hazard statement	The mixture does not meet the criteria for classification.			
Precautionary statement				
Prevention	Observe good industrial hygiene practices.			
Response	Wash hands after handling.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of waste and residues in accordance with local authority requirements.			
Hazard(s) not otherwise	None known.			

# 3. Composition/information on ingredients

None.

#### **Mixtures**

classified (HNOC)

Supplemental information

Chemical name	Common name and synonyms	CAS number	%
Aluminium Oxide (Non-Fibrous)		1344-28-1	40 - 60
Chromium (III) oxide		1308-38-9	20 - 40
Spinel (Mg(AlO2)2)		1302-67-6	10 - 25
Mullite		1302-93-8	2.5 - 10
Zirconium Dioxide		1314-23-4	2.5 - 10
Other components below reportable le	evels		1 - 2.5

## 4. First-aid measures

InhalationMove to fresh air. Call a physician if symptoms develop or persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.Eye contactRinse with water. Get medical attention if irritation develops and persists.

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
6. Accidental release meas	sures
Personal precautions, protective equipment and	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

protective equipment and emergency procedures	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handlingAvoid prolonged exposure. Observe good industrial hygiene practices.Conditions for safe storage,<br/>including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the<br/>SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Chromium (III) oxide (CAS 1308-38-9)	PEL	0.5 mg/m3	
Zirconium Dioxide (CAS 1314-23-4)	PEL	5 mg/m3	
US. OSHA Table Z-3 (29 CFR 1910.1000	))		
Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Components	Туре	Value	Form
Chromium (III) oxide (CAS 1308-38-9)	TWA	0.003 mg/m3	Inhalable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Spinel (Mg(AlO2)2) (CAS 1302-67-6)	TWA	1 mg/m3	Respirable fraction.
Zirconium Dioxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
Chromium (III) oxide (CAS 1308-38-9)	TWA	0.5 mg/m3	
Zirconium Dioxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
ological limit values	No biological exposure limits noted	for the ingredient(s).	
posure guidelines	Zirconium silicates (zircon sands) or radioactive uranium and thorium. Of uranium and thorium may cause lur Measurements made by Dupont du of the 5 mg/m3 OSHA PEL for resp the exposure limits established for u sand.	verexposure by inhalation to resp ing cancer. Eye contact with the d ring the use of a similar mineral s rable dust and/or the PEL for qua	birable dust containing lust may cause eye irritation and indicated the observar artz ensures the user is bel
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
lividual protection measures	, such as personal protective equip		
Eye/face protection	Wear safety glasses with side shield	ds (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistan	t gloves.	
Other	Wear appropriate chemical resistan	t clothing.	
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.		
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance				
Physical state	Solid.			
Form	Solid.			
Color	Not available.			
Odor	Not available.			
Odor threshold	Not available.			
рН	Not available.			
Melting point/freezing point	Not available.			

Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	tion

# 11. Toxicological information

information on likely routes of exposure				
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	No adverse effects due to skin contact are expected.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological effe	cts			
Acute toxicity	Not known.			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.			

# irritation Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiable as to carcinogenicity to humans.			
IARC Monographs. Overall I	Evaluation of Carcinogenicity			
Chromium (III) oxide (CA OSHA Specifically Regulate	CAS 1308-38-9) 3 Not classifiable as to carcinogenicity to humans. ated Substances (29 CFR 1910.1001-1052)			
Not regulated.				
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens			
Not listed.				
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information				
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			

#### 13. Disposal considerations

Other adverse effects

Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
Waste from residues / unused products	As sold, this product is not RCRA hazardous. Final used condition must be evaluated prior to disposal. Dispose of waste product in accordance with Federal, State and Local regulations. The chrome compounds (Cr III) in this product may be altered to a hexavalent compound (Cr VI) under certain use conditions, such as exposure to alkali salts and/or high temperatures. Proper waste testing (such as TCLP)must be done to determine the waste status of used product. Reuse and recycling of chrome Refractories is recommended whenever possible.
Contaminated packaging	Not available.

## 14. Transport information

## DOT

Not regulated as dangerous goods.

## ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

## **US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

TSCA Section 12(b) Export	Notification (40 CFF	R 707, Subpt. D)		
Not regulated.				
CERCLA Hazardous Substa	ince List (40 CFR 30	J2.4)		
Not listed. SARA 304 Emergency relea	se notification			
Not regulated.				
OSHA Specifically Regulate	d Substances (29 C	CFR 1910.1001-1052)		
Not regulated.				
Superfund Amendments and Re SARA 302 Extremely hazard		of 1986 (SARA)		
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminium Oxide (Non-Fi Chromium (III) oxide	brous)	1344-28-1 1308-38-9	40 - 60 20 - 40	
Other federal regulations				
Clean Air Act (CAA) Sectior	ı 112 Hazardous Air	r Pollutants (HAPs) List		
Chromium (III) oxide (CA				
Clean Air Act (CAA) Sectior	112(r) Accidental I	Release Prevention (40 CI	FR 68.130)	
Not regulated.	Not an avalate d			
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
California Proposition 65				
	ny chemicals current	Drcement Act of 2016 (Prop tly listed as carcinogens or i .gov.		
US. California. Candida subd. (a))	te Chemicals List. S	Safer Consumer Products	Regulations (Cal. Code	Regs, tit. 22, 69502.3,
Spinel (Mg(AlO2)2) (	CAS 1302-67-6)			
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventor	ry of Chemical Substances	(AICS)	Yes
Canada	Domestic Substan	· · ·		No
Canada	Non-Domestic Substances List (NDSL)			Yes
China	China Inventory of Existing Chemical Substances in China (IECSC)			No
Europe	European Inventory of Existing Commercial Chemical I Substances (EINECS)			No
Europe	European List of Notified Chemical Substances (ELINCS) No			No
Japan Inventory of Existing and New Chemical Substances (ENCS)			No	
Korea Existing Chemicals List (ECL)				Yes
New Zealand	New Zealand Inve	ntory		Yes
Philippines	Philippine Inventor (PICCS)	ry of Chemicals and Chemic	cal Substances	No
Taiwan	Taiwan Chemical	Substance Inventory (TCSI)	)	Yes
United States & Puerto Rico	Toxic Substances	Control Act (TSCA) Invento	ory	Yes
*A "Yes" indicates that all compore A "No" indicates that one or more				

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-30-2020
Version #	01

	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.