HarbisonWalker

SAFETY DATA SHEET

1. Identification

Product identifier CORAL PLASTIC 28-82 ADTECH

Other means of identification

Brand Code 0767

Recommended use For Industrial Use Only

Recommended restrictions Avoid dry cutting, blasting, or dust generation.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108

US

Telephone General Phone: 412-375-6600

Websitewww.thinkHWl.comEmergency phone numberNot available.SupplierNot available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1
Carcinogenicity Category 1A
Specific target organ toxicity, repeated Category 1

exposure

Health hazards not otherwise classified Category 1

Environmental hazards Not classified.

Label elements

Signal word





Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. May cause cancer.

Causes damage to organs through prolonged or repeated exposure. Presents a health hazard

which is not otherwise classified.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Supplemental information

Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALPHA-ALUMINA		1344-28-1	50 - 70
Kyanite		1302-76-7	10 - 25
ALUMINUM, WATER SOLUBLE SALTS, N.O.S.		13530-50-2	2.5 - 10
Bentonite		1302-78-9	2.5 - 10
PHOSPHORIC ACID		7664-38-2	2.5 - 10
Boric Acid		10043-35-3	1 - 2.5
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	1 - 2.5
Titanium Dioxide		13463-67-7	0.1 - 2.5
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	< 0.5
Other components below reportable le	evels		10 - 25

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Ingestion

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may Most important

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including symptoms/effects, acute and

blindness could result. Prolonged exposure may cause chronic effects. delayed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an medical attention and special ambulance. Continue flushing during transport to hospital. Keep victim under observation. treatment needed Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information**

(show the label where possible).

5. Fire-fighting measures

Indication of immediate

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Not available. Unsuitable extinguishing

media

Specific hazards arising from Not applicable. the chemical

Not available. Special protective equipment and precautions for firefighters

6. Accidental release measures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can Personal precautions, protective equipment and emergency procedures

be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values			_
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS 13530-50-2)	TWA	1 mg/m3	Respirable fraction.
Boric Acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Occupationa	I Health & Safety Code, Sch	edule 1, Table 2)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	
ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS 13530-50-2)	TWA	2 mg/m3	
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
•		0.025 mg/m3	Respirable particles.

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Canada, British Columbia OELs, (Occupational Exposure Limits for Chemical Substances, Occupational Health and

Components	Type	Value	Form
ALPHA-ALUMINA (CAS	TWA	1 mg/m3	Respirable.
344-28-1)	T\\/\	1 ma/m2	Doonirohlo
ALUMINUM, WATER SOLUBLE SALTS, N.O.S. CAS 13530-50-2)	TWA	1 mg/m3	Respirable.
Boric Acid (CAS 0043-35-3)	STEL	6 mg/m3	Inhalable
	TWA	2 mg/m3	Inhalable
(yanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable.
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 4464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
itanium Dioxide (CAS 3463-67-7)	TWA	3 mg/m3	Respirable fraction.
10 100 07 77		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/2	2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
LPHA-ALUMINA (CAS 344-28-1)	TWA	1 mg/m3	Respirable fraction.
ALUMINUM, WATER SOLUBLE SALTS, N.O.S. CAS 13530-50-2)	TWA	1 mg/m3	Respirable fraction.
Boric Acid (CAS 0043-35-3)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
(yanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
., (,		•	
PHOSPHORIC ACID (CAS	STEL	3 mg/m3	, , , , , , , , , , , , , , , , , , ,
PHOSPHORIC ACID (CAS 7664-38-2)		-	,
PHOSPHORIC ACID (CAS 664-38-2) SILICA, CRYSTALLINE, CRISTOBALITE (CAS	STEL	3 mg/m3	Respirable fraction.
PHOSPHORIC ACID (CAS 2664-38-2) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 4464-46-1) SILICA, CRYSTALLINE,	STEL TWA	3 mg/m3 1 mg/m3	·
PHOSPHORIC ACID (CAS	STEL TWA TWA	3 mg/m3 1 mg/m3 0.025 mg/m3	Respirable fraction.
PHOSPHORIC ACID (CAS 7664-38-2) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of 18	STEL TWA TWA TWA TWA	3 mg/m3 1 mg/m3 0.025 mg/m3 0.025 mg/m3 10 mg/m3	Respirable fraction.
PHOSPHORIC ACID (CAS 7664-38-2) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of 150 Components	STEL TWA TWA TWA TWA Exposure to Biological or CI	3 mg/m3 1 mg/m3 0.025 mg/m3 0.025 mg/m3 10 mg/m3	Respirable fraction. Respirable fraction.
PHOSPHORIC ACID (CAS 7664-38-2) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of Incomponents	STEL TWA TWA TWA TWA TWA TWA Exposure to Biological or Cl	3 mg/m3 1 mg/m3 0.025 mg/m3 0.025 mg/m3 10 mg/m3 hemical Agents) Value	Respirable fraction. Respirable fraction. Form

Components	Туре	Value	Form
	TWA	2 mg/m3	Inhalable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Quebec OELs. (Ministry	of Labor - Regulation respecting	g occupational health and sa	nfety)
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS 13530-50-2)	TWA	2 mg/m3	
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
Canada. Saskatchewan OELs (Oc		-	Fa
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
Boric Acid (CAS 10043-35-3)	15 minute	6 mg/m3	Inhalable fraction.
	8 hour	2 mg/m3	Inhalable fraction.
Kyanite (CAS 1302-76-7)	15 minute	20 mg/m3	Dust.
	8 hour	10 mg/m3	Dust.
PHOSPHORIC ACID (CAS 7664-38-2)	15 minute	3 mg/m3	
	8 hour	1 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.
	8 hour	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE,	8 hour	0.05 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)		20 mg/m3	
QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	

Exposure guidelines Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable)

and respirable crystalline silica should be monitored and controlled.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eve wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state

Solid. Paste. **Form** Color Not available. Odor Not available. **Odor threshold** Not available. Hq Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

Not available.

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Not available. **Viscosity**

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Causes severe skin burns. Skin contact Eye contact Causes serious eye damage. Causes digestive tract burns. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eve damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Not known. **Acute toxicity**

Components **Species Test Results**

Boric Acid (CAS 10043-35-3)

Acute Inhalation

LC50 Rat > 0.002 mg/l, 4 Hours

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eve damage/eve

irritation

Causes serious eve damage.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS Irritant

13530-50-2)

PHOSPHORIC ACID (CAS 7664-38-2) Irritant SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Material name: CORAL PLASTIC 28-82 ADTECH SDS CANADA 7 / 10 0767 Version #: 01 Issue date: 05-18-2021

Carcinogenicity

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

ALPHA-ALUMINA (CAS 1344-28-1) A4 Not classifiable as a human carcinogen. ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS A4 Not classifiable as a human carcinogen. 13530-50-2) Boric Acid (CAS 10043-35-3) A4 Not classifiable as a human carcinogen. Kyanite (CAS 1302-76-7) A4 Not classifiable as a human carcinogen. SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen. 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen. Titanium Dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Canada - Manitoba OELs: carcinogenicity

ALPHA-ALUMINA (CAS 1344-28-1) ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS

13530-50-2)

Boric Acid (CAS 10043-35-3) Kyanite (CAS 1302-76-7)

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

Suspected carcinogenic effect in humans.

Suspected human carcinogen.

Suspected human carcinogen.

Suspected human carcinogen.

Suspected human carcinogen.

Not classifiable as a human carcinogen.

Detected carcinogenic effect in animals.

1 Carcinogenic to humans.

1 Carcinogenic to humans. 2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Developmental effects

SILICA, CRYSTALLINE, QUARTZ **Developmental effects - EU category** SILICA, CRYSTALLINE, QUARTZ 0 **Embryotoxicity** SILICA, CRYSTALLINE, QUARTZ n Reproductivity SILICA, CRYSTALLINE, QUARTZ 0

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

No data available.

No data available.

Mobility in soil
Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

Hazardous waste code

Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

itorriational involtorio		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

New Zealand Inventory

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

No

16. Other information

New Zealand

Philippines

Issue date 05-18-2021

Version # 01

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Revision information Product and Company Identification: Product Codes

Composition / Information on Ingredients: Ingredients

Toxicological Information: Toxicological Data

Ecological Information: Ecotoxicity

Material name: CORAL PLASTIC 28-82 ADTECH 0767 Version #: 01 Issue date: 05-18-2021

Yes

No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).